

Saco River Basin Water Quality Monitoring Program - 2004 Season Averages

	pH	Temp	Turb	DO	TKN	TP	SRP	E.coli
S1	6.95	13.77	0.88	96.91	0.71	7.19	2.71	
S2	6.94	13.88	0.86	93.69	0.79	0.81		32.19
S3	6.69	14.24	0.84	96.89	0.67	0.19		43.04
OCS4	6.85	15.97	1.59	81.32	0.87	0.84		59.67
S5	6.86	16.34	1.79	88.74	0.38	0.08		
S6	6.68	15.50	1.41	90.69	0.58	0.04		
MPB22	6.88	16.81	0.70	89.74	0.83	0.07		
O7	6.82	16.95	0.70	96.21	0.71	4.03	1.82	
O8	6.87	17.68	0.80	97.25				66.27
OS9	6.81	15.90	1.03	93.88				
S10	6.86	16.42	1.77	104.23				
S23	6.78	15.97	1.28	96.07				31.83
S24	6.79	17.20	0.76	82.19	0.59	6.63		
LO11	6.93	17.99	1.02	93.00	0.55	7.29	1.17	25.13
LO12	6.88	17.83	0.83	89.22				
LO13	6.89	17.14	0.77	92.22				
LO14	6.77	16.47	2.40	87.96	0.76	11.89		23.94
LO15	6.81	16.27	0.86	83.28				
LO16	6.98	16.25	1.18	94.11				
LO25	6.89	17.33	0.90	88.60	0.57	9.07		
S17	6.83	16.87	1.49	102.86				
S18	6.90	16.18	2.26	90.23				
S19	7.01	17.07	1.46	96.82	0.45	7.67		24.28
S20	6.97	16.83	1.93	89.75				
S21	6.99	17.53	2.31	98.29				85.96
SPB26	7.03	14.40	34.65	76.94	0.54	25.70		94.36
TB27	6.90	14.30	9.39	78.52				111.62