

Saco River Basin Water Quality Monitoring Program - 2008 Testing Season
Sampling Site Code LO13 - Below Shapleigh Pond off Main Street in Shapleigh, ME

	<u>04/17/08</u>	<u>05/01/08</u>	<u>05/15/08</u>	<u>05/29/08</u>	<u>06/12/08</u>	<u>06/26/08</u>	<u>07/10/08</u>	<u>07/24/08</u>	<u>08/07/08</u>	<u>08/21/08</u>	<u>09/04/08</u>	<u>09/18/08</u>	<u>10/02/08</u>	<u>10/16/08</u>	<u>Average</u>
pH (units)			7.08	7.01	6.75	6.86	6.84	6.96	6.93	6.90					6.92
Temperature (°C)			14.90	17.30	22.10	22.20	25.90	22.50	20.60	20.70					20.78
Turbidity (NTU)			1.32	0.74	0.78	0.80	0.68	1.36	1.10	0.91					0.96
Dissolved Oxygen (mg/L)			9.86	7.80	8.50	9.39	6.99	8.21	7.71	7.38					8.23
Dissolved Oxygen (% saturation)			97.30	80.40	98.70	107.40	85.90	94.40	85.80	101.50					93.93
Total Kjeldahl Nitrogen (mg/L)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Total Phosphorus (ug/L)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Escherichia coli (colonies/100mL)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NOTES: