

Saco River Basin Water Quality Monitoring Program - 2008 Testing Season
Sampling Site Code ILWP1 - North End Wards Beach

	<u>04/15/08</u>	<u>04/29/08</u>	<u>05/13/08</u>	<u>05/27/08</u>	<u>06/10/08</u>	<u>06/24/07</u>	<u>07/08/08</u>	<u>07/22/08</u>	<u>08/05/08</u>	<u>08/19/08</u>	<u>09/02/08</u>	<u>09/16/08</u>	<u>09/30/08</u>	<u>10/14/08</u>	<u>Average</u>
pH (units)						6.63	6.74	6.61		6.54					6.63
Temperature (°C) - deep						20.80	14.40	14.8		14.90					16.23
Temperature (°C)						21.30	23.50	23.20		22.20					
Turbidity (NTU)						0.96	0.83	0.79		0.95					0.88
Dissolved Oxygen (mg/L) - deep						10.64	0.10	3.07		6.47					5.07
Dissolved Oxygen (mg/L)						10.82	8.53	6.83		13.83					10.00
Dissolved Oxygen (% saturation) - deep						119.00	1.00	30.30		64.10					53.60
Dissolved Oxygen (% saturation)						122.10	100.30	79.90		159.70					115.50
Total Kjeldahl Nitrogen (mg/L)						0.25	0.25	0.25							0.25
Total Phosphorus (ug/L)															#DIV/0!
Alkalinity						5.40	6.00	6.00							5.20
Escherichia coli (colonies/100mL)						3.10	21.60	3.10							9.27

NOTES: