

Saco River Basin Water Quality Monitoring Program - 2009 Testing Season
Sampling Site Code LO13 - Below Shapleigh Pond off Main Street in Shapleigh, ME

	<u>05/21/09</u>	<u>06/04/09</u>	<u>06/18/09</u>	<u>07/02/09</u>	<u>07/16/09</u>	<u>07/30/09</u>	<u>08/13/09</u>	<u>08/27/09</u>	<u>09/10/09</u>	<u>09/24/09</u>	<u>Average</u>
pH (units)	7.11	7.07	6.94	6.80	6.81	6.91	6.90		6.69	6.98	6.91
Temperature (°C)	16.80	18.50	19.20	18.50	21.00	24.70	23.20		18.00	18.50	19.82
Turbidity (NTU)	0.67	0.57	0.75	1.38	0.73	0.66	0.72		0.69	0.68	0.76
Conductivity	14.03	14.65	14.66	15.02	15.08	15.04	15.46		15.31	15.51	
Dissolved Oxygen (mg/L)	9.23	8.70	8.72	8.72	8.43	7.92	8.09		9.03	8.60	8.60
Dissolved Oxygen (% saturation)	96.70	94.90	96.10	95.40	96.90	98.20	96.30		95.90	93.90	96.03
Total Kjeldahl Nitrogen (mg/L)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Total Phosphorus (ug/L)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Escherichia coli (colonies/100mL)	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

NOTES: